



DRÁMA


LINO II



LINO II

LINO II 90 P

#	W	K	lm	
1314151	18-24*	3000/3500/4000	2520-3360	-
1314151DT	24	3000/3500/4000	3360	TRIAC
1314151D	24	3000/3500/4000	3360	DALI/PUSH



W




< 15 m²



LINO II 90 P

#	W	K	lm	
1314153	18-24*	3000/3500/4000	2520-3360	-
1314153DT	24	3000/3500/4000	3360	TRIAC
1314153D	24	3000/3500/4000	3360	DALI/PUSH



B




< 15 m²



LINO II 120 P

#	W	K	lm	
1314251	21-32*	3000/3500/4000	2940-4480	-
1314251DT	32	3000/3500/4000	4480	TRIAC
1314251D	32	3000/3500/4000	4480	DALI/PUSH



W




< 20 m²



LINO II 120 P

#	W	K	lm	
1314253	21-32*	3000/3500/4000	2940-4480	-
1314253DT	32	3000/3500/4000	4480	TRIAC
1314253D	32	3000/3500/4000	4480	DALI/PUSH



B




< 20 m²



* Adjustable power

Suspended version




p. 308



LINO II

LINO II 150 P




#	W	K	lm	
1314351	37-49*	3000/3500/4000	5180-6860	-
1314351DT	49	3000/3500/4000	6860	TRIAC
1314351D	49	3000/3500/4000	6860	DALI/PUSH


W



< 25 m²



LINO II 150 P



#	W	K	lm	
1314353	37-49*	3000/3500/4000	5180-6860	-
1314353DT	49	3000/3500/4000	6860	TRIAC
1314353D	49	3000/3500/4000	6860	DALI/PUSH

B



< 25 m²

